


Title	Guideline for prescribing oral nutritional supplements for adults in primary care
Document Ref.	ONSprescribingadultsV2.9
Author	Anna Samkin (Medicines Optimisation Lead Dietitian) and Kate Le Cornu (Medicines Optimisation Dietitian) at NHS Norfolk and Waveney ICB
References	NICE (2006) CG32: Nutrition support for adults: oral nutrition support, enteral tube feeding and parenteral nutrition [Accessed 22.05.25] PrescQIPP Bulletin 261 [Accessed 22.05.25]
Associated	Oral Nutritional Supplement (ONS) prescribing in end-of-life care
guidance	Substance misuse and oral nutritional supplements
Consulted with	Community dietetic teams from ECCH, QEH and NCHC, NCHC LD dietitians, Dietetic Prescribing Steering Group (Feb 2022)
Approved by	Prescribing Reference Group
Date approved	7 th April 2022 (minor amendments Nov 2022, May 2023, Sept 2023, Nov 2023, Feb 2024, March 2024, June 2024, Dec 2024, June 2025)
Next review date	December 2025
Location in shared drive	Knowledge NoW > Clinical Information > Other Specialties > <u>Dietetics</u> , <u>Nutrition & Blood</u> > <u>Guidelines for Prescribing Oral Nutritional Supplements</u>
Available online	Guideline for prescribing ONS in adults in primary care

Contents	Page
Quick reference pathway for food fortification and use of ONS in malnutrition	2
Actions for the identification, treatment, and monitoring of malnutrition	3
ONS after hospital discharge	4
Choice of ONS (first and second line)	4-5
Non formulary ONS	6
Direct to patient sample service	6
Appropriate prescribing amounts	6

For nutrition-related prescribing enquiries, please contact nwicb.dieteticqueries@nhs.net



Pathway for food fortification & use of oral nutritional supplements in adults



Action 4: Refer to Dietitian

Ensure actions 1-3 have been followed

A prescription for ONS **may** be initiated by GP for the interim period if not appropriate to wait for dietetic review - ensure 1st prescription is for maximum of **7 days** to ensure palatability and reduce waste Prescribe 2 x standard ONS per day (approx. 600kcals per day)

See recommended ONS and sample service

Action 5: Review after 3 months

Ensure weight & BMI is documented in patient records

Current weight should be provided by patient / carer every 3 months and <u>MUST score</u> recalculated before a prescription for ONS can be re-authorised and reissued by GP

Once discharged from dietetic care > continue to assess malnutrition status > review ongoing need for ONS every 3 months

STOP ONS if patient has resumed adequate dietary intake and weight is maintained



Notes for Actions 1-5 for the identification, treatment, and monitoring of malnutrition

Action 1: Identification of nutritional risk

- Complete <u>MUST</u> screening (based on <u>NICE (2006) CG32</u> definition of malnutrition).
- Please note MUST/BMI may not be accurate tools to assess nutritional risk in some groups:
 - People with learning disabilities: Other signs of malnutrition such as consistent unplanned weight loss, limited diet/avoiding whole food groups, and presence of dysphagia should be considered.
 - Medical conditions leading to fluid overload/ oedema.
- Consider dietary intake and assess underlying causes of malnutrition.
- Set and document realistic and measurable goals e.g. target weight, weight gain/maintenance, BMI, improved activities of daily living.

Action 2: Food First

- Encourage little and often i.e., small, frequent meals and snacks.
- Aim to increase energy intake by about 500kcals per day.
- 1 pint of **fortified milk**: 568ml/1 pint of full-cream (whole or Jersey) milk + 4 *heaped* tablespoons of dried skimmed milk powder (this provides approx. 600kcal and 40g protein) Use in hot drinks, cereal/ porridge, sauces, soups, and home-made milkshakes and smoothies.
- Two Homemade Nourishing Drinks of their choice per day, using fortified milk.
 - Provide patient with nutrition support information available from Knowledge NoW:
 - Eating well A guide to help you gain or maintain your weight or,
 - Eating well Ideas for plant-based alternatives (includes recipes)
 - Homemade Nourishing Drinks
 - Consider an over-the-counter (OTC) multivitamin and mineral supplement, such as an 'A-Z' type.

Action 3: Over-the-counter (OTC) ONS

Consider recommending OTC products such as Aymes® Retail milkshakes, Complan® milkshakes, Meritene Energis® milkshakes & soups, Nurishment® milkshakes.

Action 4: Prescribe ONS only if actions 1-3 have been followed / refer to dietitians

ONS can only be prescribed when ACBS criteria are met. The principal indication is 'disease-related malnutrition.' ONLY prescribe if urgent and it is not appropriate to wait for a dietetic review.

Refer to community dietitians (ECCH, NCHC, or QEH) or a primary care dietitian (if employed at the GP Practice or PCN, and it is within their scope of practice).

For people with learning disabilities, please refer as follows:

- Norfolk refer to the NCHC community dietitians & they will triage and forward to the learning disabilities specialist dietetic service as appropriate.
- Waveney refer to ECCH community dietitians if MUST score ≥ 2 (NB: no specialist service)

Seek specialist review if person is prescribed thickeners for dysphagia - prescribed ONS should NOT be thickened.

Action 5: Review and discontinue ONS

- Review 3 monthly to monitor progress (weight, BMI & MUST score), review goals, and check if ONS are still appropriate.
- Consider discontinuing ONS if: patient is non-compliant, goals of treatment are met, or if patient has a MUST score of 0.
- If the patient no longer has a clinical need for ONS but wishes to continue, advise patient to buy OTC products or homemade nourishing drinks (see Action 3).



Hospital discharge

Please do NOT continue prescription of ONS after a patient has been discharged from hospital unless they have been seen by dietetics and ONS have been specifically recommended.

Please check hospital discharge paperwork for recommendations and follow-up plan.

Choice of ONS

vanilla, ginger, neutral

Please order a sample pack for all new ONS prescriptions to allow preferences to be determined.

First line Powdered ONS

Patients/carers will require manual dexterity to reconstitute powders; consider 2nd line ONS if this is not appropriate (see below).

Suggested dose: 2 x 57g sachets daily between meals - see <u>Prescribing Amounts.</u>			
Aymes Shake (AYMES)	Complan Shake (Nutricia)	Foodlink Complete (Nualtra)	Aymes ActaSolve Savoury (AYMES)
Nutritional values when powder is made up with 200ml whole milk			With 200ml water
SHAKE SHAKE CROOLARE	Complan's shake	Foodlink Complete STRAWERRY Warden and Manager British Britis	ActaSolve Avour Avour
383kcals, 19g protein Presentation: 7 x 57g sachets, or 1.6kg tub (provides 28 servings)	380kcals,15.8g protein Presentation: 4 x 57g sachets	383kcals,19g protein Presentation: 7 x 57g sachets	250kcals, 9.2g protein Presentation: 7 x 57g sachets
Flavours: Strawberry, chocolate, banana,	Flavours: Strawberry, chocolate, banana, vanilla, original	Flavours: Strawberry, chocolate, banana,	Flavours: Chicken, potato & leek, vegetable

Second line Ready to drink Milkshake-style ONS

vanilla, natural

vanilla, original

Use ready-to-drink milkshake or yogurt-style ONS only if unable to make up powdered ONS. Suggested dose: 2 x bottles daily between meals - see <u>Prescribing Amounts.</u>			
Altraplen Energy (Nualtra)	Aymes ActaGain 1.5 Complete (AYMES) (Previously Aymes Complete)	Fortisip Bottle (Nutricia) Use only if other second line ONS are unavailable	
200ml carton 300kcal, 12g protein Flavours: Strawberry, chocolate, banana, vanilla	200ml bottle 300kcal, 14g protein Flavours: Strawberry Burst, Double Chocolate, Banana Milkshake, Smooth Vanilla	200ml bottle 300kcal, 11.8g protein Flavours: Strawberry, chocolate, banana, vanilla	



Second line Compact ONS (smaller volume)

Compact ONS should only be prescribed if the patient is unable to tolerate large volumes.

First choice is Aymes Shake Compact or Foodlink Complete Compact (powder - make up with whole milk).

However, if patient is unable to tolerate large volumes AND is unable to make up powdered ONS, use a compact ready-to-drink ONS.

Suggested dose: 2 x 57g sachets or 2 x 125ml bottles daily between meals - see Prescribing Amounts.

Aymes Shake Compact (AYMES) Powder made with 100ml whole	Foodlink Complete Compact Nualtra Powder made with 100ml whole	Altraplen Compact Nualtra
milk	milk	
7 x 57g sachets	7 x 57g sachets	125ml bottle
320kcal, 15g protein	318kcal, 15g protein	320kcal, 12g protein
Shake Powen	© nualtra Foodlink Complete STRAWBERW element for the strain for	AIRTON AND AND AND AND AND AND AND AND AND AN
Flavours: Strawberry, chocolate,	Flavours: Strawberry, chocolate,	Flavours: Strawberry, banana,
banana, vanilla, ginger, neutral	banana, vanilla, neutral	vanilla, hazel-chocolate

Juice-style / plant-based ONS

Juice-style ONS should usually only be prescribed if requested by a dietitian.

Most juice-style ONS contain milk protein, though they may be suitable for those who do not like milkshake-style drinks. However, Aymes ActaSolve Smoothie & Nualtra Foodlink Smoothie are plant-based & can be trialled as a first-line option. Order samples

Suggested dose: 2 x sachets daily between meals.

Aymes ActaSolve Smoothie (AYMES) **Foodlink Smoothie (Nualtra)** The protein source is soy protein The protein source is soy protein 287 kcals & 10g protein ~300kcals & 10.7g protein. Presentation 7 x 66g sachets SMOOTHIE Presentation 7 x 66g sachets (make Foodlink (make up with 150ml water) up with 150ml water) Flavours: Orange & mango, red Flavours: mango, peach, pineapple, strawberry & berry, peach, tropical cranberry

Please note: Juice style powder ONS may not be suitable for cow's milk protein allergy as the product labels state they 'may contain milk/ milk protein.'

Juice-style ONS are less suitable than milk-based for people with diabetes. Blood glucose may need to be more carefully monitored due to possible raised blood sugar levels.



Non-Formulary ONS

The following are not recommended as they are lower in energy (1kcal/ml) than standard ONS and should be replaced, if necessary, with a <u>first-line powder</u> or <u>second-line ready-to-drink ONS</u>:

- Ensure 250ml can (Abbott Nutrition)
- Fresubin Original Drink 200ml bottle (Fresenius Kabi)
- Meritene Energis Shakes and Soups (Nestle Health Sciences) should be purchased OTC

Direct to patient sample service

Please click on the links below to order a sample pack for all new ONS prescriptions, to allow the person to try the product (requires login).

to try the product (requires login).		
AYMES samples	Nualtra samples	Nutricia samples
Aymes Shake Aymes ActaSolve Savoury Aymes ActaGain 1.5 Complete Aymes Shake Compact Aymes ActaSolve Smoothie	Foodlink Complete Altraplen Energy Foodlink Complete Compact Altraplen Compact Foodlink Smoothie	Fortisip Bottle

Appropriate prescribing amounts of oral nutritional supplements			
Type of ONS	Number of ONS per day	Amount to prescribe per 7-day week	Amount to prescribe per 28-day month
Powder ONS 57g sachets (7 x 57g boxes)	1	399g	1596g
Aymes Shake, Foodlink Complete, Aymes ActaSolve Savoury, Aymes Shake Compact,	2	798g	3192g
Foodlink Complete Compact Complan Shake (4 x 57g boxes)	3	1197g	4788g
Powder ONS 66g sachets	1	462g	1848g
Aymes ActaSolve Smoothie, Foodlink Smoothie	2	924g	3696g
(7 x 66g boxes)	3	1386g	5544g
Second line ready-to-drink ONS 200ml	1	1400ml	5600ml
Altraplen Energy, Aymes ActaGain 1.5 Complete, Fortisip Bottle	2	2800ml	11200ml
1 Ortisip Bottle	3	4200ml	16800ml
Second line compact ready-to-drink ONS 125ml	1	875ml	3500ml
Altraplen Compact	2	1750ml	7000ml
	3	2625ml	10500ml