

## SOP014: Infant formula milks

Purpose	A guide for processing requests for infant formula which are on the patient's repeat template.	
Scope	This SOP is for processing prescriptions requests for infant formula for both	
	new and continuing requests	
For the use of	or the use of Prescription Clerks, Receptionists, Administrators, Pharmacy Technicians	
	and Pharmacists	

## Request for prescription of infant formula milk received (NHS app, paper slip, footfall etc.).

Repeat Prescription coordinator/administrator investigations and actions.

Check the following before issuing the prescription:

- 1) Quantity prescribed in 28 day period.
- 2) Product requested- please check **Appendix** for alphabetical list of infant formula if you are unsure of products.
- 3) Age of infant.

Please highlight the following to your **pharmacist** for investigation:

- 1) Quantity issues e.g., ordering is very erratic i.e., 3 months or more between last issue, or if repeatedly ordering before the due date, amount of formula prescribed is inappropriate (too much or too little), or on short issue e.g., 7 days. **Item can still be issued.** 
  - a. NB- Infants under 1 year may be prescribed up to 4000g per 28 days (or more if advised by a paediatric dietitian).
- 2) Product prescribed
  - a. If patients order or have any of the following RED products (see Appendix) on prescription. **Do not issue.** 
    - i. Please also document on SystmOne/EMIS: "[Name of GP practice] are not allowed to issue these products as they are not on the formulary, this will be highlighted to our clinical team to review".
  - b. If patient prescribed any of the following milks, please ensure they are suitable for the infant's age, change to a suitable product if appropriate:
    - i. Aptamil pepti 1: Suitable from birth to 6 months
    - ii. Aptamil pepti 2: Suitable from 6-12 months
    - iii. Nutramigen LGG 1: Suitable from **birth to 6 months** (licensed for use up to 12 months if LGG 2 unavailable)
    - iv. Nutramigen LGG 2: Suitable from 6-12 months
    - v. Nutramigen LGG 3: Suitable from 12 months
  - c. Instant Carobel powder: should not be prescribed routinely. Suitable for 'Thickening feeds in the treatment of vomiting' (ACBS) in infants. May be suitable to thicken specialist formulae or breast milk. Over the counter (OTC) anti-

SOP014 Infant formula milks	V1.0
Issue Date: June 2024	Review Date: June 2026
Reviewed by: Anna Samkin, dietitian - Norfolk and Waveney Medicines Optimisation Team	Approved by: Anne Jordan, POD Supervisor



reflux formulae should be advised first in formula-fed infants (See link to guidelines below for info on gastro-oesophageal reflux treatment pathway). Item can still be issued.

- Instant Carobel powder may also be prescribed as a thickener for paediatric dysphagia (swallowing difficulties) in children under 3 years only on advice from a paediatric speech and language therapist- as per Thickener SOP.
- d. If patient is prescribed an **Amino Acid Formula** (see appendix), please check that they are being actively reviewed by a dietitian. If not, referral to the allergy clinic is required.
  - i. Check for letters from paediatric dietitians in SystmOne or EMIS (JPUH dietitian may also document in tabbed journal on SystmOne).

Please see Norfolk and Waveney ICB Infant Formula Guideline and Formulary for more information if needed.

If pharmacist unable to resolve query or unsure and would like to discuss, then contact the Norfolk and Waveney (N&W) dietetic team as per blue box below.

Please highlight the following to the **N&W ICB dietitians** for investigation:

1) Patient is > 12 months old and still being prescribed formulary product. **Product can be issued.** 

N.B. This may be appropriate if patient's Cow's Milk Protein Allergy was diagnosed/specialist infant formula was first prescribed when the infant was over 6 months old (as Cow's milk free diet advised for at least 6 months) - **please check before sending to N&W ICB dietitians.** 

#### Contact details for NWICB Dietitians: nwicb.dieteticqueries@nhs.net

Please provide the following details with your query:

- 1) Patient name
- 2) NHS number
- 3) GP practice
- 4) Type of guery (ONS, thickener, infant formula) and product
- 5) Reason why highlighted to team
- 6) If you have not issued the item requested, please mark your query as 'URGENT'

SOP014 Infant formula milks	Infant formula milks	
Issue Date: June 2024	Review Date: June 2026	
Reviewed by: Anna Samkin, dietitian - Norfolk and Waveney Medicines Optimisation Team	Approved by: Anne Jordan, P	OD Supervisor



# Appendix: Alphabetical list of infant formula (Jan 24)

Red: Non Formulary please do not issue.	Green: Formulary product
Available OTC	Orden: I officially product
Standard infant formulae	Cow's milk protein allergy
Aptamil First Infant	Extensively hydrolysed formulae:
Aptamil Follow-On	Alimentum
Cow & Gate First Infant Milk	Aptamil Pepti 1
Cow & Gate Follow-On Baby Milk	Aptamil Pepti 2
Cow & Gate Hungry Infant Milk	Aptamil Pepti- Syneo (only if advised by
SMA Advanced First Infant Milk	Paediatric Dietitian)
SMA Advanced Follow-On Milk	SMA Althera
SMA Advanced Growing Up Milk	Nutramigen LGG 1
SMA First Infant Milk	Nutramigen LGG 2
SMA Follow-On Milk	Nutramigen LGG 3
	Amino acid formulae:
	Elecare (similac)
	Neocate LCP
	Nutramigen Puramino
	SMA Alfamino
Lactose free	Pre-term formulae
Aptamil Lactose Free	Nutriprem 2
Enfamil O-Lac	SMA Gold Prem 2
SMA LF	IPol comments
Anti-reflux	High energy formulae
Aptamil Anti-Reflux	Infatrini ready to feed
Cow & Gate Anti-Reflux SMA Anti-Reflux	Similac High Energy
Comfort	SMA High Energy Other
Aptamil Comfort	Aptamil Pepti-Junior
Cow & Gate Comfort	Pregestimil LIPIL
SMA Comfort Milk	1 Togodinii Eli IE
Soya-based	
Enfamil Prosobee	
Nutrilon Soya	
Ostersoy Soya Protein	
Other	
Colief Infant drops	

# **Version Control**

Date	Version Number	Change Made
07/06/2024	1.0	New SOP

SOP014 Infant formula milks	V1.0
Issue Date: June 2024	Review Date: June 2026
Reviewed by: Anna Samkin, dietitian - Norfolk and Waveney Medicines Optimisation Team	Approved by: Anne Jordan, POD Supervisor